

To
The Presiding Officer (Desert Cooler)
C/O Army Institute of Law
Sector – 68, Mohali – 160062

**PROPOSAL FOR SUPPLY OF DESERT COOLER WITH STEEL BODY
AT AIL MOHALI COMPLEX**

PERSONAL PROFILE

1. Name :
2. Name of Organization/Agency :
3. Address of the Organization :
4. Key Person to Contact :
5. Contact No. :
6. PAN No :
7. ESI No :
8. EPF No :
9. Experience :

CONTRACT SPECIFIC

10. Ready to deposit the security deposit Rs.1,00,000/- Yes/No.
11. All terms and condition are acceptable Yes/No

(Signature)

Name

Date.....

S.No.

LAST DATE FOR SUBMISSION OF FORM IS
10 JUN 2019 AT 1700 HRS. TENDER WILL
OPEN ON 11 JUN 2019 AT 1100 HRS

COST OF FORM Rs. 1000/-

**TERMS AND CONDITIONS FOR SUPPLY OF
DESERT COOLER WITH STEEL BODY**

QUANTITY: 216 NOS. TO BE DELIVERED AT AIL, MOHALI

1. The tender document is not transferable under any circumstances.
2. Tender can be downloaded from Institute web site and will be physically submitted alongwith bank draft of Rs.1000/-.
3. The Institute reserve the right to cancel the Bid without assigning any reason to the Bidders or anyone else.
4. Bidders are requested to read the instructions in detail.
5. The prices quoted will include all charges. No extra payment to the suppliers will be paid. However GST should be mentioned separately in the quotation.
6. Vendor will provide one sample within 7 days of placing of order and once sample has been approved, order will be implemented within 30 days.

7. **TYPE – DESERT COOLER**

Specifications

- | | | | |
|-----|----------------------------------------------------------------------------|---|---------------------------------------------------------|
| (a) | Type of Mounting | : | Mounting on window stand |
| (b) | Blade Material | : | Aluminum |
| (c) | Filter Pads | : | Synthetic Honeycomb Pads |
| (d) | Float Valve at inlet | : | Yes |
| (e) | Maximum Power Consumption
at zero static pressure | : | 280 watts |
| (f) | Sump Tank Capacity (minimum) | : | 60 Liters |
| (g) | Material of Filter panel, Grill, Top
of collar body, cabinet, sump tank | : | Galvanized steel sheet (ISI marked
to IS 277 latest) |

(h)	Sheet Thickness (nominal) for Filter panel, Grill, Top of cooler Body, cabinet	:	0.8 mm
(j)	Sump Tank sheet Thickness (nominal)	:	1.0 mm
(k)	All internal surfaces of Steel Body Cooler Painted with Water Resistant paint to IS 9862 latest	:	Yes
(l)	Drain Plug material	:	Brass/ SS
(m)	Fan Size and Brand	:	450 mm (Bajaj/Crompton/Khaitan)
(n)	Fan Motor and Brand	:	ISI marked to IS: 996 latest
(o)	Minimum number of steps for fan speed control	:	3
(p)	Conformity of Submersible Pump	:	Generally conforming to IS: 11951 latest
(q)	Thickness of Filter Pad	:	15 mm or above
(r)	Non-corrosive Wire Guard for Filter Pads	:	Yes
(s)	Minimum length of ISI marked connecting cable with 3-pin moulded Plug Top, 5/6 Amps	:	3 meter/ to fit power socket as is where is basis
(t)	Location of the Water Collecting Chamber	:	At the Bottom
(u)	Float Valve at inlet	:	Yes
(v)	Overall Demension (HxDxW) (mm x mm x mm)	:	35" x 26" x 26"
(w)	Weight	:	Min 15 kilogram
(x)	Conformity to Indian Standard	:	Generally conforming to IS: 3315 latest
(y)	Warranty	:	1 year

8. **Maintenance:**

Vendor will provide free maintenance for one year after the date of supply of coolers.

9. **Replacement of Parts:**

All major parts will be replaced within one year free of cost.

10. Institute site can be inspected by the vendor between 9.00 AM to 5.00 PM on any working day except Saturday/Holiday.